

Machine, LLC

NT-10L Table Saw



102 Walnut Street
Borden, IN 47106
(812) 967-7400 Fax (812) 967-7401
www.NorthtechMachine.com_info@NorthtechMachine.com

Machine, LLC

NT-10L Table Saw

- · Left tilting arbor table saw
- Motor: 3HP 1PH 220V
- Saw blade diameter: 250mm (10")
- 10" blade capacity
- Max depth of cut at 90°: 3"; at 45°: 2"
- Max rip to the right of blade: 50"
- Arbor diameter: 5/8" (1" Optional)
- Arbor speed: 4200 RPM
- Standard blade guard (see-thru type)
- Cast iron table size: 36" W x 27" deep
- Table height: 34.5"
- Includes precision "T" square style sliding fence
- (1) 4" Dust port requiring 436CFM at point of extraction
- · Machine/Packing weight: 425lbs / 500lbs
- Machine/Packing dimensions: 28" x 35" x 42" / 78" x 43" x 39"
- (Optional) Sliding table capacity:
 - 914mm x 828mm (3' x 6')
 - 1220mm x 2440mm (4' x 8')
- · Blade not included
- Northtech standard one year part warranty
- All machines are tested at our corporate headquarters in Indiana prior to shipment providing trouble free start up.



Machine Features



· Quick adjust hand wheel allows for fast blade height adjustments



• 3HP Single phase motor with tilting capability.



- · Self-contained start and stop controls located under the table for easy access.
- Quick tilt adjust hand wheel for 0-45° with reference scale.
- Tilt through heavy duty worm gear movement.



· See through and pivoting guard for added convenience and safety.



Machine Features



• Guard tilts with blade and has anti-kick back protection for added safety.



- 16mm (5/8") blade arbor.
- Blade tiltable 45°



• (1) 4" dust port requires 436CFM at point of extraction.



Machine Features



• Optional sliding table allows for seamless and smooth rips.



• Up to 51" wide rips using adjustable flip stop.



 Lineal round rod movements assist with smooth movements during cutting.



NORTHTECH

Machine, LLC



102 Walnut Street
Borden, IN 47106
(812) 967-7400 Fax (812) 967-7401
www.NorthtechMachine.com info@NorthtechMachine.com