

NORTHTECH

Machine, LLC

NT-VES1230 VERTICAL EDGE SANDER



102 Walnut Street
Borden, IN 47106
(812) 967-7400 Fax (812) 967-7401
www.NorthtechMachine.com info@NorthtechMachine.com

NORTHTECH

Machine, LLC

NT-VES1230 VERTICAL EDGE SANDER

- 7.5HP main motor; 3PH, 230V/460V 60HZ
- Min working length: 1"
- Max working width: 1"
- Min working thickness: 3/16"
- Oscillation motor: 15W
- 3 Ditch v-belt drive
- 1/4" oscillating stroke
- Sanding belt size: 12" x 102" (Included)
- Spindle speed: 60HZ 1720 RPM
- Sanding belt speed: 60HZ 2500FPM
- Drive wheel (rubber): 180mm x 330mm (7" x 13")
- Worktable: 24" x 20"
- Table height: 30"
- Platen size: 30-1/2" x 13"
- Dust ports: (1) 5" requiring 681 CFM at point of extraction
- Machine / Packing Dimensions: 37" x 24" x 76" / 28" x 41" x 85"
- Machine / Packing weight: 860lbs / 994 lbs
- Gross weight: 1,345 lbs



Machine Features



- Strong 7.5HP TEFC motor rated for continuous production.



- 15kw mechanical oscillation.
- 60 Cycles / minute.



- Adjustable belt tracking.



- Safety switch on access door for added safety.

NORTHTECH
Machine, LLC

www.NorthtechMachine.com


Machine Features



- Pneumatic belt tensioner switch for belt.



- FLR included for quick air connection and pneumatic reduced maintenance.



- (1) 5" Dust port requiring 681 CFM @ point of extraction.

NORTHTECH

Machine, LLC



102 Walnut Street
Borden, IN 47106
(812) 967-7400 Fax (812) 967-7401
www.NorthtechMachine.com info@NorthtechMachine.com